

DMG MORI NLX2500Y



CNC Turning / Millingcenter

Machine type:	DMG Mori NLX 2500 Y / 700
---------------	---------------------------

Control:	M730UM mit CELOS
----------	------------------

Year:	2016
-------	------

Available after:	sofort
------------------	--------



Alle Maschinen optional mit

✓ **SERVICE-PAKET**

Abbau - Verladung - Transport - Inbetriebnahme

SPECIFICATIONS:

Turningdiameter: [mm]	366
-----------------------	-----

Max. turning length: [mm]	705
---------------------------	-----

Travel:

X-Axis: [mm]	260
--------------	-----

Z-Axis: [mm]	795
--------------	-----

Y-Axis: [+/- mm]	100 / (+/-50)
------------------	---------------

C-Axis	
--------	--

Main Spindle	ISM 60
--------------	--------

Max. revolution: [rpm]	4.000
------------------------	-------

Spindle power: [kW]	15/18,5
---------------------	---------

Bar capacity: [mm]	80
--------------------	----

Tailstock

revolving tailstock center	MK 5
----------------------------	------

Amount of turrets:	1
--------------------	---

Tool capacity:	12
----------------	----

Driven Tools	12
--------------	----

Equipment:

Chip conveyor



cooling system	5 bar
----------------	-------

kein
Werkzeugvoreinstellgerät

Die Maschine ist mit
einer sogenannten RMS
Funktion ausgestattet.

Das bedeutet das ein
verändern des
Standortes erkannt wird
und danach die
Maschine bei ihnen
wieder von DMGMORI
kostenpflichtig
freigegeben werden
muss.

Tool:	BMT60
revolution driven tools	10.000



+49 (0)611 5 10 1990 info@stenzel.de