

Mori Seiki NZX 2000 / 800 SY



CNC Turning / Millingcenter

Machine type:	Mori Seiki NZX 2000 / 800 SY
---------------	---------------------------------

Control:	Fanuc 31i A / MAPPS IV
----------	------------------------

Year:	2012
-------	------



Alle Maschinen optional mit

✓ **SERVICE-PAKET**

Abbau - Verladung - Transport - Inbetriebnahme

SPECIFICATIONS:

Turningdiameter: [mm]	200
-----------------------	-----

Max. swing over bed: [mm]	800
------------------------------	-----

Max. turning length: [mm]	810
------------------------------	-----

Spindle bore: [mm]	73
--------------------	----

Bar capacity: [mm]	65
--------------------	----

Main Spindle

Max. revolution: [rpm]	5.000
------------------------	-------

Spindle power: [kW]	25 / 22
---------------------	---------

Torque: [Nm]	358
--------------	-----

Bar capacity: [mm]	65
--------------------	----

Spindle nose:	A2-6
---------------	------

C-Axis	0,001°
--------	--------

Subspindle

Max. revolution: [rpm]	5.000
------------------------	-------

Spindle power: [kW]	25 / 22
---------------------	---------

Torque: [Nm]	358
--------------	-----

Bar capacity: [mm]	65
--------------------	----

Spindle nose:	A2-6
---------------	------

Equipment:

Chip conveyor	
---------------	--

Partscatcher	
--------------	--

Internal cooling: [bar]	70
-------------------------	----

cooling system	Knoll Kompaktfilter; KF 110/500
----------------	---------------------------------

Cooling tank: [l]	500
-------------------	-----

Bar loader magazine	IEMCA Master 80HF inkl. Zubehör für Stangenbearbeitung bis 3,3 Meter
---------------------	--

Collet chuck	2 x Hainbuch Spanntop
--------------	-----------------------

C-Axis	0,001°
Amount of turrets:	2
Tool capacity:	16 + 16
Driven Tools	16 + 16
revolution driven tools	6.000
drive power driven tools [kW]:	7,5 / 5,5
Y-Axis: [+/- mm]	110 (+65 / -45)

+49 (0)611 5 10 1990 info@stenzel.de