

Reiden BFR-23



Universal machining center

Machine type: Reiden BFR-23

Control: Heidenhain iTNC 530

Year: 2006



Alle Maschinen optional mit

✓ **SERVICE-PAKET**

Abbau - Verladung - Transport - Inbetriebnahme

SPECIFICATIONS:

Travel:

X-Axis: [mm] 3.000

Y-Axis: [mm] 1.200

Z-Axis: [mm] 1.200

B-Axes $\pm 180^\circ$ Rapid motion: (X/Y/Z)
[m/min.] 20

Panning head

A-Axes $\pm 270^\circ$

Spindle speeds: [rpm] 20 - 7.000

Transmission ratio 2

Spindle power: [kW] 45/30

Torque: [Nm] 1133

Tool: SK 50 big plus

Tool capacity: 64

Tool lenght: [mm] 600

Tool diameter: [mm] 250

Tool weight: [kg] 20

Table size: [mm] 2.800 x 1.000

Max. Table Load: [kg] 6.000

Equipment:



Chip conveyor

cooling system

Power consumption:	80 kVA
[KW]	

Machine weight: [kg]	29
----------------------	----

Req. space (LxBxH):	6,380 x 5,135 x 3,250
[m]	



+49 (0)611 5 10 1990 info@stenzel.de